300Mbps
Wireless N USB Adapter

Simply Connet to Reliable N300 Wi-Fi

TL-WN821N

300Mbps Wi-Fi | WPS Button | USB 2.0

Highlights

N300 Stability for Your Daily Needs

The TL-WN821N reaches speeds of up to 300Mbps, ideal for streaming, gaming and internet calls.



One-Button Security

With a push of the WPS button, connect the TL-WN821N to the Wi-Fi network without typing a complex password, and stay protected with reliable security.



Features

Speed

- Fast Wi-Fi – Up to 300Mbps Wi-Fi speed for joyful surf̲ng experience

Ease of Use

- Backwards Compatibility – Supports routers utilizing 802.11 b/g/n Wi-Fi standards

Security

- Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- WPS Button - Easy wireless security encryption at a push of the WPS button

SpeciQcations

Wireless

- **Wireless Standard**: IEEE 802.11b/g/n 2.4GHz
- **Frequency**: 2.4GHz
- **Wireless Mode**: Ad-Hoc / Infrastructure Mode
- **Wireless Security**: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Hardware

- **Interface**: USB 2.0
- **LED**: Status (internal)
- **Button**: WPS
- **Dimensions**: 2.7 × 0.8 × 0.4 in. (69 × 21 × 9.5 mm)

Others

- **Package Contents**

  300Mbps Wireless N USB Adapter TL-WN821N

  Quick Installation Guide

  Resource CD

  USB extension cable
- **CertiQcation**

  FCC, CE, RoHS
- **System Requirements**

  Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux
- **Environment**

  Operating Temperature: 0℃~40℃ (32℉ ~104℉)

  Storage Temperature: -40℃~70℃ (-40℉ ~158℉)

  Operating Humidity: 10%~90% non-condensing

  Storage Humidity: 5%~90% non-condensing

Windows 10 Compatible

Mac Support

Linux Support

For more information, please visit

http://www.tp-link.com/products/details/TL-WN821N.html

or scan the QR code left

SpeciQcations are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright Ä2018 TP-Link Technologies Co., Ltd. All rights reserved.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 speciQcations. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traZc, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

*To ensure compatibility, you may need to update the adapter·s drivers after an OS update. You can Qnd our latest drivers in the download center at tp-link.com/en/download-center.

www.tp-link.com